

# Eswood Professional Warewasher

**ES25** 

**Professional Warewasher** 



# Eswood

# Pass-Through Recirculating Warewasher


The Eswood ES25 warewasher offer outstanding continuous performance within compact dimensions to satisfy the needs of today's commercial kitchens.

ES25 come with independent upper and lower spray arms for both the wash and rinse systems.

All new digital wash & rinse temperature displays for easy temperature recording in controlled environments.

Detergent and rinse aid pump fitted as standard.

ES25 conforms to the highest of health and sanitary standards, meeting FSANZ safe food codes and certifications in HACCP and WaterMark.



eswood.com.au

211–217 Woodpark Road SMITHFIELD NSW 2164
T: 1800 013 123
E: sales@middleby.com.au





Counter-balanced lift-up hood with ergonomically designed wrap around handle

Durable stainless-steel body construction and wash arms

Automatic fill to wash and rinse tanks

High capacity 540-700 pieces (1-Phase and 3-Phase respectively)

Digital wash and rinse temperature controllers and displays

Detergent and rinse aid pump as standard

Suitable for corner or inline installation

Machine starts upon closure of hood

Easily removable spray arms and filters


Wash and Rinse pump fitted as standard


Operation interlocked to rinse temperature







- B. Hot water connection 1/2" B.S.P. at  $65^{\circ}$ C min. (15-58psi / 100-400kPa)
- C. Electrical connection 2M 240V 15A pluc









# **ES25**

## **Pass-Through Recirculating Warewasher**

Includes:  $1 \times \text{plate rack}$ ,  $1 \times \text{cup rack}$ ,  $1 \times \text{cutlery container}$ 

### **ES25 Specifications**

DIMENSIONS (WxDxH)	595 x 600 x 1405 mm
HEIGHT WITH DOOR OPEN	1755 mm
RACK SIZE (WxD)	500 x 500 mm
ELECTRIC CONNECTION	15A Single Phase, 240V
RATING	3.5 kW
WATER SUPPLY	65°C / 1-4 bar (15-58 psi)
MEAL SERVICE	30 - 40 pax (25 racks/hr)
WASH CYCLE	90 sec
	120 sec
WASH AND RINSE PUMP	Fitted
DETERGENT AND RINSE AID PUMP	Fitted
DRAIN PUMP	Optional
WATER CONSUMPTION	3.5L cycle
TANK CAPACITY	30L
WEIGHT	103 kg
PACKED	0.5 m <sup>3</sup>
WATERMARK APPROVAL	WM-022833

**Proudly Distributed By** 

### eswood.com.au

211–217 Woodpark Road SMITHFIELD NSW 2164
T: 1800 013 123
E: sales@middleby.com.au



