



Eswood Professional Warewasher





Eswood


Pass-Through Recirculating Warewasher

The Eswood ES32 warewasher offer outstanding continuous performance within compact dimensions to satisfy the needs of today's commercial kitchens.

ES32 come with independent upper and lower spray arms for both the wash and rinse systems.

New is the drain pump, detergent and rinse aid pump fitted as standard. All new digital wash & rinse temperature displays for easy temperature recording in controlled environments.

ES32 conforms to the highest of health and sanitary standards, meeting FSANZ safe food codes and certifications in HACCP and WaterMark.



eswood.com.au 211–217 Woodpark Road SMITHFIELD NSW 2164 **T:** 1800 013 123 **E:** sales@middleby.com.au





Counter-balanced lift-up hood with ergonomically designed wrap around handle

Durable stainless-steel body construction and wash arms

Automatic fill to wash and rinse tanks

High capacity 540-700 pieces (1-Phase and 3-Phase respectively)

Digital wash and rinse temperature controllers and displays

Integrated drain pump as standard

Detergent and rinse aid pump as standard

Suitable for corner or inline installation

Machine starts upon closure of hood

Easily removable spray arms and filters

Rinse pump fitted as standard

Operation interlocked to rinse temperature


eswood.com.au 211–217 Woodpark Road SMITHFIELD NSW 2164





1–217 Woodpark Road SMITHFIELD NSW 2164 **T:** 1800 013 123 **E:** sales@middleby.com.au



B. Hot water connection 1/2" B.S.P. at 60°C min. (15-58psi / 100-400kPa) C. Electrical Connection 415V/50Hz/3Ph+N+E









Pass-Through Recirculating Warewasher

Includes: 2 x plate rack, 1 x cup rack, 1 x cutlery container

E332 Specifications

DIMENSIONS (WxDxH)	595 x 600 x 1405 mm
HEIGHT WITH DOOR OPEN	1755 mm
RACK SIZE (WxD)	500 x 500 mm
ELECTRIC CONNECTION	3 Phase - 415V + N + E
RATING	9.5 kW
WATER SUPPLY	60°C / 1-4 bar (15-58 psi)
MEAL SERVICE	60 - 130 pax (32 racks/hr)
WASH CYCLE	90 sec
	120 sec
DETERGENT PUMP	Fitted
RINSE AID PUMP	Fitted
DRAIN PUMP	Fitted
WATER CONSUMPTION	3.5L cycle
TANK CAPACITY	30L
WEIGHT	103 kg
PACKED	0.5 m ³
WATERMARK APPROVAL	WM-022833
HACCP APPROVAL	PE-388-GE-09

Dimensions may change without notice in accordance with product development and design

Proudly Distributed By

eswood.com.au

211–217 Woodpark Road SMITHFIELD NSW 2164 **T:** 1800 013 123 **E:** sales@middleby.com.au



